
Receipt

type specimen

Receipt Narrow

Receipt Wide

Receipt Narrow Matrix 1

Receipt Narrow Matrix 2

Receipt Narrow Line H

Receipt Narrow Line V

Geschaftsmäßig
Kvalifisejusas
Quadrireacteur
FREEWHEELING

dwujęzyczne

GENDERQUEER

KELLERTÄVÄÄ

tioróideach

piekłājības

PERCÉZZJONI

GHOSTWRITER

kwytgeskeld

glødetråden

HIPERBÓLICO

PROCLAMACIÓ

höfusmáður

contraposición matchbox
GRÖßERER PRONÁSLEDOVANÝ
dešimtmečiuose herklæði
COMISIÓN POŽIZZJONIJIET
językoznawstwa bežaṇicu
KLÄNNING INTERGALÁCTICO

? 0 1 2 3 4
5 6 7 8 9 , , , ,

* e s ē n
n + l # 8 ü

adfærðsmönstre chichiṭā
WASHIYWA CASSETTEBANDJE
kohëpaşkohshme instruyó
MAKSIMÒM INTERSEXUALITÉ
sjúkrapjálfari deyişler
DOVRŠITI MODIFIKAZZJONI



mödzieżowycho
schmeißfliegę
kokospähkiniä
nepontjáboł
árvore - do - pão
astanamašun
iedarbināšana

gelişmemiştir
ORIGINALGRÖÙE
aðgerðaáætlun
FORTIFICAÇÕES
accéléromètre
HEGEDÜSZONÁTA

؟ ؟ #
؟ ؟ #

ة ه م
ه ل ب

mandarijntjes
LEIVÄNPAAHIN
dactylography
DIMOKURADIYYA
bainceáireacht
NIEPRAWIDŁOWA

Geschäftsmäßig
Kvalitativusas
Qualitätspraktur
FREEWHEELINGLY

dwójczyzny GENDERQUEER
KELLERTÄVÄÄ tíoróideach
piękniźbas PERGEZZONI
GHOSTWRITER kwytgeskeid
glædetræden HYPERBÓLICO
PROCLAMACIÖ höfuðsmáður

contraposición matchbox
GRÖGERER PRONÁSLEDOVANÝ
dešimtmečiuose herklæði
COMISIÓN POŽIZZJONIJET
językoznawstwa bežaṇicu
KLÄNNING INTERGALÁCTICO

0 1 2 3 4
5 6 7 8 9 ,
%

* Q E S ē Ø
ø ÷ T H 8 W

adfærðsmónstre chichičā
WASHIYWA CASSETTEBANDJE
kohēpaskohshme instruyó
MAKSIMÓM INTERSEXUALITÉ
sjúkrabjálfari deyişler
DØVRŚITI MODIFIKAZZJONI

Geographic features and
Wetlands and uses
Global climate change
PRECIPITATION

dwudżęzyzne GENDERQUEER
RELLERTAWA tlo poideach
pinklajibas PERCEZIONI
CHIETNITTEHYTGESENID
glädetnäden HYPERBOLICA
PROCLAMATIO höfuðsmáður

contraposición matchbox
GRÖRERER PRONÁSLEDOVANÝ
dešimtmecíuose herklæði
COMISIÓN POŽIZZJONIJIET
językoznawstwa běžanícu
KLÄNNING INTERGALÁCTICO

0 1 2 3 4
5 6 7 8 9 , .

! ? < > = & !
! ? < > = & !

adfærdsmófnstre chichiṭā
WASHIYWA CASSETTEBANDJE
kohēpaskohshme instruyó
MAKSIMÓH INTERSEXUALITÉ
sjúkrabjálfari deyişler
DOVRŠITI MODIFIKAZZJONI

Q e s c h i f f e r s m a d i o
K v a l i t z e l u b e s
Q u a d r a t a c u p
F R E E W H E E L I N G L Y

dwijęzyczne

KELLERTÄVÄÄ

piekłajibas

GHOSTMATTER

läderträden

PROCLAMATIO

GENDERQUEER

tłopidzach

PERCEZZONI


kwytkę

HIPERBOLICO

höftesmåsur

contraposición matchbox
GRÖBERER PRONÁSLEDOVANÝ
desíntmečiuose herklaži
COMISIÓN POŽIZZJONIJIET
językoznawstwa bezaniču
KLÄNNING INTERGALÁCTICO

7 8 1 2 3 4
5 6 7 8 9 0%



adfərdsmónstre chichičă
WASHIYWA CASSETTEBANDJE
kohēpaskohshme instruyō
MAKSIMOM INTERSEXUALITÉ
sjukrapjälfari deyişler
DOVRŚITI MODIFIKAZZJONI



CLICÉZÉZÉZÉZÉZÉZÉZÉ

SELLERIAWAA

PIÈCEZÉZÉZÉZÉZÉZÉ

HOSTPITER

JACETRÉZÉZÉZÉZÉZÉ

PROCLAMACO

GENDEAUEER

COOPÉZÉZÉZÉZÉZÉ


PEACEZÉZÉZÉZÉZÉ

PIÈCEZÉZÉZÉZÉZÉ


HÉPEREOLCO

HÖFÜSMEZÉZÉ

CONTROPOSIÇÃO matchbox
GRÖGERER PRONÁSLEDOVANÝ
dešimtmečiuose herklazi
COMISIÓN POŽIZZJONIJIET
językoznawstwa bezapóku
KLÄNNING INTERGALÁCTICO



adFaerdsmonstre chichičá
WASHIYWA CASSETTEBANDJE
kohépaskohshme instruyó
MAKSIMÓH INTERSEXUALITE
sjúkrabjálfari deyişler
DOVREITT MODIFIKAZZJONI



? ; : , 2 3 ,
C 7 2 3 ,

Receipt Narrow

Achizižitieí

Nihkávadžá

Weinstraße

S'accoit're

Angazování

Receipt Wide

Koala

Brau

Höf

Xeno

Knda

Receipt Narrow Matrix 1

Achtlitztzei

Náhkávadða

Weinstraße

S'acqoitre

Angázování

Receipt Narrow Matrix 2

Achtlitztzei

Náhkávadða

Weinstraße

S'acqoitre

Angázování

Receipt Narrow Line H

Achiziltzilé

Nihkavadda

Weinstrebe

S'ecocotipe

Anqazovanz

Receipt Narrow Line V

Achiziltzilé

Nihkavadda

Weinstrebe

S'ecocotipe

Anqazovanz

Receipt Narrow

Paleontological classifications previously used Hydrochoeridae for all capibaras, while using Hydrochoerinae for the living genus and its closest fossil relatives, such as *Neocheroerus*, but more recently have adopted the classification of Hydrochoerinae within Caviidae. The taxonomy of fossil hydrochoerines is also in a state of flux. In recent years, the diversity of fossil hydrochoerines has been substantially reduced. This is largely due to the recognition that capibara molar teeth show strong variation in shape over the life of an individual. In one instance, material once referred to four genera and seven species on the basis of differences in molar shape is now thought to represent differently aged individuals of a single species, *Cardiatherium paranense*. Among fossil species, the name "capibara" can refer to the many species of Hydrochoerinae that are more closely related to the modern *Hydrochoerus* than to the "cardiomysine" rodents like *Cardiomys*. The fossil genera *Cardiatherium*, *Phugatherium*, *Hydrochoeropsis*, and *Neocheroerus* are all capibaras under that concept.

Receipt Wide

The taxonomy of fossil hydrochoerines is also in a state of flux. In recent years, the diversity of fossil hydrochoerines has been substantially reduced. This is largely due to the recognition that capibara molar teeth show strong variation in shape over the life of an individual. In one instance, material once referred to four genera and seven species on the basis of differences in molar shape is now thought to represent differently aged individuals of a single species, *Cardiatherium paranense*. Among fossil

Receipt Narrow Matrix 1

Paleontological classifications previously used Hydrochoeridae for all capibaras, while using Hydrochoerinae for the living genus and its closest fossil relatives, such as *Neochoerus*, but more recently have adopted the classification of Hydrochoerinae within Caviidae. The taxonomy of fossil hydrochoerines is also in a state of flux. In recent years, the diversity of fossil hydrochoerines has been substantially reduced. This is largely due to the recognition that capibara molar teeth show strong variation in shape over the life of an individual. In one instance, material once referred to four genera and seven species on the basis of differences in molar shape is now thought to represent differently aged individuals of a single species, *Cardiatherium paranense*. Among fossil species, the name "capibara" can refer to the many species of Hydrochoerinae that are more closely related to the modern *Hydrochoerus* than to the "cardiomysine" rodents like *Cardiomys*. The fossil genera *Cardiatherium*, *Phugatherium*, *Hydrochoeropsis*, and *Neochoerus* are all capibaras under that concept.

Receipt Narrow Matrix 2

Paleontological classifications previously used Hydrochoeridae for all capibaras, while using Hydrochoerinae for the living genus and its closest fossil relatives, such as *Neochoerus*, but more recently have adopted the classification of Hydrochoerinae within Caviidae. The taxonomy of fossil hydrochoerines is also in a state of flux. In recent years, the diversity of fossil hydrochoerines has been substantially reduced. This is largely due to the recognition that capibara molar teeth show strong variation in shape over the life of an individual. In one instance, material once referred to four genera and seven species on the basis of differences in molar shape is now thought to represent differently aged individuals of a single species, *Cardiatherium paranense*. Among fossil species, the name "capibara" can refer to the many species of Hydrochoerinae that are more closely related to the modern *Hydrochoerus* than to the "cardiomysine" rodents like *Cardiomys*. The fossil genera *Cardiatherium*, *Phugatherium*, *Hydrochoeropsis*, and *Neochoerus* are all capibaras under that concept.

Receipt Narrow Line H

Paleontological classifications previously used Hydrochoeridae for all capibaras, while using Hydrochoerinae for the living genus and its closest fossil relatives, such as *Neochoerus*, but more recently have adopted the classification of Hydrochoerinae within Caviidae. The taxonomy of fossil hydrochoerines is also in a state of flux. In recent years, the diversity of fossil hydrochoerines has been substantially reduced. This is largely due to the recognition that capibara molar teeth show strong variation in shape over the life of an individual. In one instance, material once referred to four genera and seven species on the basis of differences in molar shape is now thought to represent differently aged individuals of a single species, *Cardiatherium paranense*. Among fossil species, the name "capibara" can refer to the many species of Hydrochoerinae that are more closely related to the modern *Hydrochoerus* than to the "cardiomysine" rodents like *Cardiomys*. The fossil genera *Cardiatherium*, *Phugatherium*, *Hydrochoeropsis*, and *Neochoerus* are all capibaras under that concept.

Receipt Narrow Line V

Paleontological classifications previously used Hydrochoeridae for all capibaras, while using Hydrochoerinae for the living genus and its closest fossil relatives, such as *Neochoerus*, but more recently have adopted the classification of Hydrochoerinae within Caviidae. The taxonomy of fossil hydrochoerines is also in a state of flux. In recent years, the diversity of fossil hydrochoerines has been substantially reduced. This is largely due to the recognition that capibara molar teeth show strong variation in shape over the life of an individual. In one instance, material once referred to four genera and seven species on the basis of differences in molar shape is now thought to represent differently aged individuals of a single species, *Cardiatherium paranense*. Among fossil species, the name "capibara" can refer to the many species of Hydrochoerinae that are more closely related to the modern *Hydrochoerus* than to the "cardiomysine" rodents like *Cardiomys*. The fossil genera *Cardiatherium*, *Phugatherium*, *Hydrochoeropsis*, and *Neochoerus* are all capibaras under that concept.

Receipt supports the following languages

Afrikaans, Albanian, Asu, Azerbaijani, Bashkir, Basque, Belarusian, Bemba, Bena, Bosnian, Breton, Bulgarian, Catalan, Capibarian, Cebuano, Chechen, Chiga, Chuvash, Colognian, Cornish, Corsican, Croatian, Czech, Danish, Dutch, Embu, English, Erzya, Esperanto, Estonian, Faroese, Filipino, Finnish, French, Friulian, Galician, Ganda, German, Guarani, Gusii, Hawaiian, Hungarian, Icelandic, Ido, Inari Sami, Indonesian, Interlingua, Irish, Italian, Javanese, Jju, Jola-Fonyi, Kabuverdianu, Kalaallisut, Kalenjin, Kamba, Kazakh, Kikuyu, Kinyarwanda, Kurdish, Kyrgyz, Latvian, Lithuanian, Lojban, Low German, Lower Sorbian, Luo, Luxembourgish, Luyia, Macedonian, Machame, Makhuwa-Meetto, Makonde, Malagasy, Malay, Maltese, Manx, Maori, Meru, Mohawk, Mongolian, Morisyen, North Ndebele, Northern Sami, Northern Sotho, Norwegian Bokmål, Norwegian Nynorsk, Nyanja, Nyankole, Occitan, Oromo, Ossetic, Polish, Portuguese, Quechua, Romanian, Romansh, Rombo, Rundi, Russian, Rwa, Sakha, Samburu, Sango, Sangu, Sardinian, Scottish Gaelic, Sena, Serbian, Shambala, Shona, Slovak, Slovenian, Soga, Somali, South Ndebele, Southern Sotho, Spanish, Swahili, Swati, Swedish, Swiss German, Taita, Tajik, Taroko, Tatar, Teso, Tongan, Tsonga, Tswana, Turkish, Turkmen, Ukrainian, Upper Sorbian, Uzbek, Vietnamese, Vunjo, Walloon, Walser, Welsh, Western Frisian, Wolof, Xhosa and Zulu.

ENGLISH The capibara has a heavy, shoe box shaped body and short head, with reddish-brown fur on the upper part of its body that turns yellowish-brown underneath.	DANSK Flodsvinet har en tung æskeformet knop og et kort, snude-løst hoved; med en rødbrun pels på den øverste del af kroppen, mens den underste del er okker-farvet.	ROMÂNĂ Capybara are un corp greu, în formă de cutie de pantofi și un cap îngust, cu blană maro-roșcată în partea superioară a corpului și maro-gălbui dedesubt.	POLSKI Kapibara ma ciężkie ciało w formie pudełka na buty uwieńczonego małą głową. Od strony grzbietu jej ciało jest pokryte czerwono-brązowym futrem, a od spodu żółto-brązowym.
FRANÇAIS Le capibara présente un corps un peu lourd, en forme de boîte à chaussure et une tête plutôt courte, un poil marron-roux sur le dos, qui vire au brun jaunâtre au niveau du ventre.	NORSK Flodsvinet har en tung, skoeshedformet knapp og et kort hode. Pelsen er rødbrun på ryggen, men går mot brun gul på undersiden.	ITALIANO Il capibara ha un corpo pesante a forma di scatola da scarpe e una testa corta, con una pelliccia bruno-rossastra nella parte superiore del corpo che diventa bruno-giallastra nella parte inferiore.	BAHASA INDONESIA Kapibara punya badan yang berat seperti doos sepatu, pakai kepala yang agak pendek. Pakai bulu yang warna merah-coklat bagian atas badan dan kuning-coklat di bagian bawa.
DEUTSCH Das Capibara hat einen gedrungenen, an eine Schuhschachtel erinnernden, Körper und einen kurzen Kopf, mit rötlich-braunem Fell, das zum Bauch hin eine gelblich-braune Farbe annimmt.	LATVIISKI Kapibarai ir smagnējs, mucveidīgs ķermenis un strupjēš, četrkantīgs purns. Kapibaras kažoks ir sarkanbrūns mugurpusē, bet pāriet dzeltenbrūnā tonī vēdera pusē.	BÄRNDÜTSCH Ds Capibara het e schwääre Körper wo usgseht wiene Schuehschachte und e churze Chopf mit rötlech-bruuunem Fääli am obere Teil vo sym Körper. Ds wird de gäge unge langsam gäublech-bruuun.	SLOVENSKÝ Kapibara má ľažké telo v tvare škatule od topánok a krátku hlavu s červenohnedou srstou na hornej časti tela, ktorá sa pod ňou mení na žltohnedú.
ESPAÑOL El carpincho tiene un cuerpo pesado en forma de caja de zapatos y una cabeza corta, con pelaje marrón rojizo en la parte superior del cuerpo que se vuelve marrón amarillento en la parte inferior.	SVENSKA Capibaran har en tung skokartongsliknande kropp och ett kort huvud, med rödbrun päls på översidan av kroppen som övergår i gulbrunt undertill.	SUOMALAINEN Vesisialla on raskas, kenkälaitikon muotoinen ruumiinrakenne ja lyhyt pää. Turkki on selästä punertavanruskea ja muuttuu vatsapuolelta kellertävän ruskeaksi.	NEDERLANDS De capibara heeft een zwaar, schoenen-doosvormig lichaam en een korte kop. De vacht is roodbruin op het bovenste deel en geelbruin aan de onderkant van het lichaam.
HRVATSKI Kapibara ima veliko i teško tijelo nalik na kutiju od cipela, dok joj je glava mala i kratka. Crveno-smeđe krvno proteže se gornjim dijelom tijela, a u donjem dijelu postaje žuto-smeđe.	PORUGUES DO BRASIL A capivara tem um corpo retangular e pesado com uma cabeça curta, um pelo marrom avermelhado na parte de cima do corpo, se tornado um marrom mais amarelado na parte de baixo.	TÜRK Kapibara, ağır, ayakkabı kutusu şeklinde bir gövdeye ve kısa bir kafaya sahiptir, vücutunun üst kısmında kırmızımsı-kahverengi kürk, altta sarımsı-kahverengiye dönüşür.	SERBIAN (LATIN) Kapibara ima teško telo, koje oblikom liči na kutiju za cipele i kratku glavu, sa crvenkasto-smedim krznom na gornjem delu tela, koje postaje žukastosmeđe odozdo.

[SS01] simple lowercase a	a → a	automatycznych alþjóðabankinn
[SUPS] superior numerals	8 → 8	H1234567890
[SINF] inferior numerals	8 → 8	H1234567890
[NUMR] numerators	8 → 8	H1234567890
[DNOM] denominators	8 → 8	H1234567890
[ZERO] slashed zero	0 → 0	humans: 7.753.000.000 (2020)
[FRAC] (precomposed) fractions	1/2 → ½	½ ¼ ¾
[ORDN] ordinals	ao → ㉚	8º 37º

ABOUT RECEIPT

Receipt is inspired by the dot matrix characters found on – you guessed it – the paper receipts you receive after purchase. Pieter designed the first version in 2000 as part of a proposal for a corporate identity that, unfortunately, was rejected. Initially, the typeface only had capital letters. Carefully pushing pixels around, Pieter improved their design for the typeface's current iteration. He also added lowercase letters and completed the character set. As he saw even more potential for the type family, Pieter drew condensed versions that further investigated the dot matrix concept. Don't believe us? We have the Receipt. No, really, you're looking at it.

ABOUT CAKETYPE

Pieter van Rosmalen founded CakeType in 2004 primarily as a boutique to distribute some of his early typefaces. In 2008, Pieter started Bold Monday together with Paul van der Laan. The type foundry's initial retail collection merged the CakeType library and Paul's typefaces. However, some of Pieter's older type designs didn't really fit the Bold Monday library and remained in "the vault" – not Prince's legendary vault but just as cool and mysterious. CakeType reopened its online doors in 2022 to serve as a vehicle for those hidden gems. This dedicated space allows them to shine in all their quirky glory.



ABOUT PIETER VAN ROSMALEN

Pieter van Rosmalen studied advertising and graphic design at Sint Lucas in Boxtel. He started dabbling in type design at a young age and licensed his early fonts through the iconic type foundry GarageFonts in the late nineties. In 2002, Pieter graduated from the postgraduate Type & Media program at the Royal Academy of Art (KABK) in The Hague. After working at various advertising and design firms – Het Hoofdbureau in Amsterdam and Teldesign in The Hague, among others – he decided to go it alone in 2004, when he founded graphic design agency CakeLab and type foundry CakeType. Since 2009, Pieter has mainly focused on typeface design. His work has received several Certificates of Excellence from the Type Directors Club, and he won second prize in the prestigious Granshan Type Design Competition in 2019.

ABOUT CAPIBARA KEES

Capibara Kees – the Dutch first name Kees sounds like "case" – was born in the Amazon river delta in Brazil. The dashing dude's date of birth is unknown. Kees belongs to the Capibara (or Capybara) species, the largest living rodent on planet earth. In mid-2001, Kees traveled to The Hague to study graphic and type design at KABK, where he met Pieter. Banding together to form a creative powerhouse, Pieter and Kees designed the Capibara typeface and the corresponding specimen "Heer van het gras." Kees was integral in naming Pieter's type foundry in 2004 – quite literally, because CakeType is short for CApibara KEes TYPE Foundry. How's that for a surprise ending? Did you really think this was all about dessert?

FONT FORMATS

All our typefaces are provided in OTF, TTF and WOFF2 formats. You can install the fonts on your desktop, serve them on websites using CSS @font-face, or embed them in mobile apps and e-books. Other web formats – WOFF and EOT – are available on request.

LICENSES

We offer clear and simple licenses which can be purchased by one simple mouse click or finger tap. Our licenses are perpetual and do not require subscription. If you outgrow your current license, you can upgrade by buying the same license again to stack the amount of users, domains and apps/ebooks, or by buying a larger license.

SMALL LICENSE

desktop: 1 user
web: 1 domain – 50,000 unique visitors p/m
app/e-book: 1

[More information](#)

MEDIUM LICENSE

desktop: 10 users
web: 5 domains – 500,000 unique visitors p/m
app/e-book: 5

[More information](#)

LARGE LICENSE

desktop: 25 users
web: 10 domains – 1,000,000 unique visitors p/m
app/e-book: 10

[More information](#)

TRIAL LICENSE

You can use our free trial fonts for evaluation and internal testing only. The trial fonts have a limited character set and no OpenType features or kerning.

[More information](#)

CUSTOM LICENSE

If none of the licenses above fit your needs, please get in touch for a custom license to accommodate your particular preferences and requirements.

[Get in touch](#)

STUDENT DISCOUNT

We offer a student discount on all our typefaces. E-mail us a copy of your valid student ID and we will send you a voucher code for a 50% discount in return.

[Get in touch](#)

FOUNDRY ADDRESS

CakeType
Johannes Buijslaan 36
5652 NL Eindhoven
The Netherlands
Earth

WEBSITE
caketype.com

EMAIL
hello@caketype.com

Because we work between 09.00 and 18.00 Central European Time (CET), it can happen that there is a little delay in responding.

SOCIAL MEDIA
[Instagram](#)
[Bluesky](#)

